



6. (Original) The housing of claim 4, further comprising:  
at least one of: a water-resistant, a water-proof and water-tight surface disposed above the  
tabletop for enclosing the display within the tabletop.
7. (Original) The housing of claim 6, wherein the surface is substantially flat.
8. (Original) The housing of claim 6, wherein the surface comprises at least one of: a  
transparent and a translucent material through which the display may be viewed.
9. (Original) The housing of claim 4, wherein the frame is further provided for supporting  
a computer.
10. (Original) The housing of claim 9, further comprising the computer.
11. (Original) The housing of claim 10, further comprising:  
the cord, wherein the cord provides at least one of electrical power and network data to the  
computer.
12. (Original) The housing of claim 11, wherein the cord is further provided for  
transmitting network data from the computer.

13. (Original) The housing of claim 10, further comprising:

an input device for transmitting command data to the computer, the command data entered by a user.

14. (Original) The housing of claim 13, wherein the input device is a keyboard.

15. (Original) The housing of claim 14, wherein the keyboard is disposed within the tabletop.

16. (Original) The housing of claim 14, wherein the keyboard is disposed within at least one of: a water-proof, a water-tight, and a water-resistant covering.

17. (Cancelled)

18. (Original) The housing of claim 14, wherein the input device is a lockout device for preventing at least one of: a change in a viewing orientation of the display and an input from a second input device.

19. (Original) The housing of claim 14, wherein the input device is a receiver for receiving wireless input signals from a remote device.





a viewing orientation selector for changing an orientation of the image to accommodate a plurality of seating positions.

32. (Original) The system of claim 31, wherein the display has a substantially vertical alignment in comparison to the tabletop.

33. (Original) The system of claim 31, wherein the display is oriented at a predetermined angle from a seating position of the tabletop.

34. (Original) The system of claim 31, further comprising: at least one of: a water-proof, a water-resistant and a water-tight surface disposed above the tabletop for enclosing the display within the tabletop.

35. (Original) The housing of claim 34, wherein the surface is substantially flat.

36. (Original) The housing of claim 34, wherein the surface comprises at least one of: a transparent and a translucent material, with the display visible therethrough.

37. (Original) The system of claim 31, further comprising the computer.

38. (Original) The system of claim 37, further comprising:

an input device for transmitting command data to the computer, the command data entered by a user.

39. (Original) The system of claim 38, wherein the input device is a keyboard.

40. (Original) The system of claim 39, wherein the keyboard is disposed within the tabletop.

41. (Original) The system of claim 39, wherein the keyboard is disposed within at least one of: a water-proof, a water-resistant and a water-tight covering.

42. (Original) The system of claim 38, wherein the input device is a lockout device for preventing at least one of: a change in the orientation of the image and an input from a second input device.

43. (Original) The system of claim 38, wherein the input device is a receiver for receiving wireless input signals from a remote device.

44. (Original) The system of claim 38, wherein the input device is at least one of a touch pad, a touch-screen and a camera.





